


## U-value

Date: 30.08.2024



### Construction with 1 element, 1230 mm x 1480 mm

#### [1] 1-part Window

Profile system: energeto neo MD  
 Colour: ap white unlaminated  
 Gasket: papyrus-white  
 Frame: 160x05 Blendrahmen 73 mm (Reinforcements: 259107)  
 Sash: 160x20 Sash 75 mm (Reinforcements: 269021)  
 Fitting: 1x Tilt-and-turn right  
 Handle: Window Consisting of:  
 Fenstergriff  
 Infill panel: ClimaGuard Solar (CE) 44mm Ug 0.5 Float, 150633  
 Glazing beads Qube-line

#### Size dependent calculation

##### [1] Window

Uw	Ug,m	Uf,m	ΣAf	ΣAg	ΣLg	Psig,m
W/(m²K)	W/(m²K)	W/(m²K)	m²	m²	m	W/(mK)
0.79	0.50	1.1	0.57	1.25	4.5	0.040

#### Standard window calculation

##### [1] Window

Uw	Ug,m	Uf,m	ΣAf	ΣAg	ΣLg	Psig,m
W/(m²K)	W/(m²K)	W/(m²K)	m²	m²	m	W/(mK)
0.79	0.50	1.1	0.57	1.25	4.5	0.040

